

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((revert\$3 with uninstrument\$5) AND (modif\$7 with (segment or portion) with instrument\$5) AND (unmap\$4 or disambigu5) AND (clean\$3 with "call stack") AND (compar\$4 near "2" address\$3)). CLM	US-PGPUB	OR	ON	2005/09/29 09:47
L2	5313	(717/124-165).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/09/29 09:51
L3	873	(717/114,116,118).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/09/29 09:52
L4	2750	(714/100,2,35,38,48).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/09/29 09:55
L5	8024	1 2 3 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 09:55
L6	.6067	5 and (@ad<"20011213" or @rlad<"20011213")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:34
L7	5513	(revert\$3 or swith\$3 or chang\$3) near2 instrument\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:38
L8	70	(clean\$3 or collect\$3) near3 "call stack"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:39
L9	265	compar\$4 with (return near address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:40
L10	2	7 and 8 and 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:44
L11	39	6 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:44

L12	0	11 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:44
L13	0	11 and 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:45
L14	4	7 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:45
L15	0	14 and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:45

Interference Search

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((revert\$3 with uninstrument\$5) AND (modif\$7 with (segment or portion) with instrument\$5) AND (unmap\$4 or disambigu5) AND (clean\$3 with "call stack") AND (compar\$4 near "2" address\$3)). CLM.	US-PGPUB	OR	ON	2005/09/29 09:28